





UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office 'Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria; Vinginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/649,692	08/28/2000	Tyler E. Pease	141.009	8406	
7.	590 08/14/2003				
Andrew J Nilles Nilles & Nilles SC Firstar Center Suite 2000 777 East Wisconsin Avenue Milwaukee, WI 53202-5345			EXAMINER		
			HORTON, YVONNE MICHELE		
			ART UNIT	PAPER NUMBER	
			3635		
			DATE MAILED: 08/14/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No. 09/649,692

Applicant(s)

TYLER E. PEASE

Examiner

YVONNE M. HORTON

Art Unit **3635**



	The MAILING DATE of this communication appear	s on the cover sl	eet with	the correspondence address		
	for Reply					
THE N	ORTENED STATUTORY PERIOD FOR REPLY IS SE MAILING DATE OF THIS COMMUNICATION. ions of time may be available under the provisions of 37 CFR 1.136 (a). If date of this communication.					
- If the p - If NO p - Failure - Any re	period for reply specified above is less than thirty (30) days, a reply within period for reply is specified above, the maximum statutory period will apply to reply within the set or extended period for reply will, by statute, cause ply received by the Office later than three months after the mailing date o patent term adjustment. See 37 CFR 1.704(b).	y and will expire SIX (6 the application to beco) MONTHS	from the mailing date of this communication. DONED (35 U.S.C. § 133).		
Status						
1) 💢	Responsive to communication(s) filed on <u>Feb 10</u> ,	2003		•		
2a) 🗌	This action is FINAL . 2b) ✓ This action	ction is non-fina	l.			
3) 🗆	Since this application is in condition for allowance closed in accordance with the practice under $Ex\ p$					
Disposi	tion of Claims					
4) 💢	Claim(s) <u>1-33</u>			is/are pending in the application.		
4	a) Of the above, claim(s)			is/are withdrawn from consideration.		
5) 💢	Claim(s) 13 and 16-20			is/are allowed.		
6) 💢	Claim(s) 1-6, 11, 12, 14, 15, 21-26, and 28-33					
7) 💢	Claim(s) 7-10 and 27			is/are objected to.		
8) 🗆	Claims					
Applica	tion Papers					
9) 🗆	The specification is objected to by the Examiner.					
10)	The drawing(s) filed on is/ar	e a) 🗆 accepte	ed or b)	\square objected to by the Examiner.		
	Applicant may not request that any objection to the	drawing(s) be he	eld in abe	eyance. See 37 CFR 1.85(a).		
11)	The proposed drawing correction filed on	is	: a)□	approved b) \square disapproved by the Examiner.		
	If approved, corrected drawings are required in reply	to this Office ac	ction.			
12) 🗌	The oath or declaration is objected to by the Exam	niner.				
Priority	under 35 U.S.C. §§ 119 and 120					
13)	Acknowledgement is made of a claim for foreign	priority under 3	5 U.S.C	. § 119(a)-(d) or (f).		
a) [☐ All b)☐ Some* c)☐ None of:					
	1. \square Certified copies of the priority documents ha \square	ive been receive	ed.			
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the priority application from the International Bur	eau (PCT Rule 1	l 7.2(a)}.	,		
_	ee the attached detailed Office action for a list of t	-				
14) 📙	Acknowledgement is made of a claim for domesti					
a) ∟						
15)□	Acknowledgement is made of a claim for domesti	c priority under	35 U.S	.C. 33 120 and/or 121.		
Attachm		A) Detection C		O-413) Paper No(s)		
11 [] 140				LESS LALEMENT MOIN		
	tice of References Cited (PTO-892) tice of Draftsperson's Patent Drawing Review (PTO-948)	_		nt Application (PTO-152)		

Art Unit: 3635

DETAILED ACTION

Withdrawal of Allowable Subject Matter

1. The indicated allowability of claims 3-6,10 and 23 is withdrawn in view of the reference(s) to NOGRADI and BELIVEAU, and a more careful review of FORD. Rejections based on the newly cited reference(s) follow.

Response to Amendment

2. The amendment filed 2/10/03 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall introduce new matter into the disclosure of the invention. The added material that is not supported by the original disclosure is as follows: there is no support in the specification for the reinforcing strips having a combination of slots and holes. The specification only details the use of either holes or slots and makes no mention of the possibility of a combination thereof. Applicant is required to cancel the new matter in the reply to this Office Action.

Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claims 1-3,6,25,26 and 28-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent #5,638,651 to FORD in view of US Patent #6,408,594 to PORTER. FORD discloses an insulated wall panel (10) including a sheet (15) having first (FE) and second (SE) planar sides and grooves (26), first and second reinforcing strips (24) have portions (IP) disposed inwardly from the first (FE) and second edges (SE) and received within respective grooves (26), and first and second reinforcing layers (12) forming first and second planar sides. FORD discloses the basic claimed panel except for the core being foam. FORD discloses that his core is formed from an oriented strand board material. PORTER teaches that it is known in the art to form an insulated wall panel with a foam core sheet (16), column 2, line 63. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the panel of FORD with the foam core of PORTER in order to maintaining the panels' structural integrity and insulative properties while also providing the panel with moisture resistive properties and while also having a core that allows the metal members embedded therein to bond easily

thereto. Regarding claim 2, FORD also discloses two downwardly extending flanges (F), see the marked-up attachment. In reference to claim 3, neither FORD nor PORTER teaches texturing the reinforcing strips. However, texturing a metal surface especially to improve bonding or to aid in drilling screws is old and very well known in the art. Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to texture the surface of the first and second reinforcing strips (24) in order to aid in obtaining a safe and direct insertion of a fastener therethrough. Regarding claim 6. although FORD does not explicitly detail that a "vapor barrier" is formed, it would have been obvious to one having ordinary skill in the art at the time the invention was made that the combination of FORD, as modified by PORTER, by including a foam core, would create some form of barrier to vapors and/or liquids to the wall panels because one of the physical characteristics or properties of foam is its ability to block out moisture and insulate against air and other gases. In reference to claim 25, the reinforcing strips (24) of FORD have outward facing surfaces, similar to (IP) configured to guide fasteners (28). Regarding claim 26, although FORD does not detail texturing his reinforcing member, texturing metal reinforcing members is old and very well known in the art. Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to texture the surface of the first and second reinforcing strips (24) in order to aid in obtaining a safe and direct insertion of a fastener therethrough. Regarding claim 28, the outward face (IP) has holes (34). In reference to claim 29-32, FORD does not detail the distance between reinforcing member. It would have been oblivious to one having ordinary skill in the art at the time the invention was made to space the reinforcing members accordingly to obtain the required amount of rigidity and stability as an obvious matter of design choice. Regarding claim 33, FORD is silent with regards to the material of his first and second facings. However, PORTER teaches that his first and second reinforcing layers (12,14) are plastic impregnated paper. It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the outer facings of FORD from the plastic impregnated paper of PORTER in order to increase the tensile strength of the panel.

ń

5. Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent #5,638,651 to FORD in view of US Patent #6,408,594 to PORTER and US Patent #4,961,298 to NOGRADI. FORD discloses an insulated wall panel (10) including a sheet (15) having first (FE) and second (SE) planar sides and grooves (26), first and second reinforcing strips (24) have portions (IP) disposed inwardly from the first (FE) and second edges (SE) and received within respective grooves (26), and first and second reinforcing layers (12) forming first and second planar sides. FORD discloses the basic claimed panel except for the core being foam and except for the reinforcing strips having a

hole or a slot therein. FORD discloses that his core is formed from an oriented strand board material. PORTER teaches that it is known in the art to form an insulated wall panel with a foam core sheet (16), column 2, line 63; and NOGRADI teaches that it is known in the art to provide a reinforcing strip with a plurality of openings (16). Hence, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the panel of FORD with the foam core of PORTER and the plurality of spaced openings of NOGRADI in order to maintaining the panels' structural integrity and insulative properties while also providing the panel with moisture resistive properties, having a core that allows the metal members embedded therein to bond easily thereto, and providing the panel with an opening for easier insertion of a fastener therein. In further regards to claim 5, although NOGRADI only teaches holes, it too would have been obvious to one having ordinary skill in the art to provide the panel of FORD with slots, since holes and slots are art recognized equivalents in aiding in increased bonding and insertion of fasteners.

ď.

Claims 11,12,14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent #5,638,651 to FORD in view of US Patent #6,408,594 to PORTER and US Patent #4,961,298 to NOGRADI. The structure of FORD inherently discloses the method of manufacturing an insulated panel including the steps of creating a block (15); cutting the block as at (26); inserting reinforcing strips (24), covering the strips (24) with a reinforcing layer (12); and bonding the first reinforcing layer (12) to the foam sheets (15). Regarding claim 12, bonding a second reinforcing layer (12). FORD discloses the basic claimed structure except for mechanically texturing the strips. Texturing metal and plastic members prior to insertion of securing devices and prior to application of adhesives and other similar materials is old and very well known in the art. Thus, it would have been obvious to one having ordinary skill in the art to texture the strips of FORD in order to prevent the securing devices from slipping while being inserted. FORD discloses the basic claimed panel except for the core being foam and except for the reinforcing strips having a hole or a slot therein. FORD discloses that his core is formed from an oriented strand board material. PORTER teaches that it is known in the art to form an insulated wall panel with a foam core sheet (16), column 2, line 63; and NOGRADI teaches that it is known in the art to provide a reinforcing strip with a plurality of openings (16). Hence, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the panel of FORD with the foam core of PORTER and the plurality of spaced openings of NOGRADI in order to maintain the panels' structural integrity and insulative properties while also providing the panel with moisture resistive properties, having a core that allows the metal members embedded therein to bond easily thereto, and providing the panel with an opening for easier insertion of a fastener therein. Regarding claims 14 and 15, FORD discloses the basic claimed

method except for the steps of applying adhesive and rolling the reinforcing layers.

Although FORD does not disclose the use of and adhesive, it would have been obvious to one having ordinary skill in the art to provide the panel of FORD with adhesive in order to provide the panel and its exterior face with additional reinforcement in ensuring the facings are maintained properly against the foam sheet.

- 7. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent #5,638,651 to FORD in view of US Patent #6,408,594 to PORTER, as applied to claim 3 above, and further in view of US Patent #5,893,248 to BELIVEAU. FORD, as modified by PORTER, discloses the basic claimed panel except for the use of a central recessed portion. BELIVEAU teaches that it is known in the art to provide a reinforcing strip (18,19) with a central recessed portion (30). Hence, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the reinforcing members of FORD, as modified by PORTER, with the central recessed portion of BELIVEAU in order to increase the rigidity of the reinforcing member while also allowing for ease of placement of the head of fastener (28) in FORD, BELIVEAU, column 3, lines 32-34. In channel components, ribs and recessed areas are very well known for giving the members additional strength.
- Claims 23 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable 8. over U.S. Patent #5,638,651 to FORD in view of US Patent #6,408,594 to PORTER and further in view of US Patent #5,893,248 to BELIVEAU. FORD discloses an insulated wall panel (10) including a sheet (15) having first (FE) and second (SE) planar sides and grooves (26), first and second reinforcing strips (24) have portions (IP) disposed inwardly from the first (FE) and second edges (SE) and received within respective grooves (26), and first and second reinforcing layers (12) forming first and second planar sides. FORD discloses the basic claimed panel except for the core being foam and except for the reinforcing strips having a central recess. FORD discloses that his core is formed from an oriented strand board, PORTER teaches that it is known in the art to form an insulated wall panel with a foam core sheet (16), column 2, line 63; and BELIVEAU teaches that it is known in the art to provide a reinforcing strip (18,19) with a central recessed portion (30) and two non-recessed portions (22). Hence, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the reinforcing members of FORD with the foam core of PORTER and the central recessed/non-recessed portions of BELIVEAU in order to maintain the panel's structural integrity while also increasing the panel's insulative properties, rigidity, and also allowing for ease of placement of the head of fastener (28) in FORD, BELIVEAU, column 3, lines 32-34. In channel components, ribs and recessed areas are very well known for giving the members

additional strength. Regarding claim 24, the head of the fastener of BELIVEAU would rest in the recessed portion (30), column 3, lines 32-34.

Previously Indicated Allowable Subject Matter

- 9. Claims 7-10 and 27 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations from the base claim.
- 10. Claims 13 and 16-20 remain as being allowable.

Response to Arguments

- 12. Applicant's arguments with respect to claims 1-33 have been considered but are moot in view of the new ground(s) of rejection(s).
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yvonne M. Horton, during the hours of 5:30 a.m. and 2:00 p.m. ESTowhose telephone number is (703) 308-1909.

Yvonne M. Horton

Patent Examiner

August 7, 2003